

GOOSENECK MICROPHONES

SHURE Microflex Gooseneck Microphones

Unsurpassed style and performance for conference rooms and similar applications. The MX series offers desktop or mounted bases, logic input/output, and interchangeable cartridges.

Inv#	Model#	List	M.A.P.
50316	MX405/C 5"/Cardioid/Bi-Color Status Indicator	296.00	N/A
51042	MX405R/N 5"/Bi-Color Status Indicator/No Cartridge	247.00	N/A
51041	MX405/S 5"/Supercardioid/Bi-Color Status Indicator	304.00	N/A
50315	MX410/C 10"/Cardioid/Bi-Color Status Indicator	296.00	N/A
51044	MX410/S 10"/Supercardioid/Bi-Color Status Indicator	304.00	N/A
51045	MX410R/N 10"/Bi-Color Status Indicator/No Cartridge	247.00	N/A
9114	MX412/C 12"/Cardioid/Condenser/50-17kHz	237.00	N/A
9177	MX412/S 12"/SuperCard/Condenser/50-17kHz	245.00	N/A
80511	MX412D/C 12"/SuperCard/Condenser/50-17kHz/Desktop Base	Call	N/A
9178	MX418/C 18"/Cardioid/Condenser/50-17kHz	237.00	N/A
6905	MX418/S 18"/Supercardioid/Condenser/50-17kHz	245.00	N/A
80512	MX418D/S 18"/SuperCard/Condenser/50-17kHz/Desktop Base	Call	N/A
50983	MX400SNP Surface Mount Preamp for MX405 and MX410	128.00	N/A
50984	MX400DP Desktop Base for MX405 and MX410	239.00	N/A

SHURE

MX890 Microflex Wireless Desktop Base

Wireless Base for Microflex® miniature goosenecks. Compatible with SLX® wireless systems. Includes logic output for applications requiring logic functionality.

Inv#	Model#	List	M.A.P.
50986	MX890 100' range, 2xAA (8hr life), PLL synth	449.00	N/A

audio-technica

PRO 47T Thread-Mount Gooseneck

PRO 47T's are highly positionable double-gooseneck microphones with integral power modules and 5/8"-27 adapter-mounts.

Inv#	Model#	List	M.A.P.
5778	PRO 47T Cardi/Condenser/70Hz-1.6kHz/12.4"	185.00	N/A
5779	PRO 47TL Cardi/Condenser/70Hz-1.6kHz/15.79"	185.00	N/A

audio-technica

PRO 49Q Quick-Mount Gooseneck

Self-contained electronics allow the PRO 49Q to plug directly into any XLR connector. Flat, smooth response with good feedback rejection.

Inv#	Model#	List	M.A.P.
5780	PRO 49Q Cardi/Cond/70-1.6kHz/Gooseneck/13.07"	165.00	N/A
5781	PRO 49QL Cardi/Cond/70-1.6kHz/Gooseneck/16.46"	165.00	N/A



827A Miniature Gooseneck Microphones

A cost-effective mini-goosenecks for applications requiring voice reproduction. Unobtrusive, ruggedly constructed.

Inv#	Model#	List	M.A.P.
9509	827A-13 17"/Cardioid/Condenser/100-1.6kHz	139.00	99.00
9510	827A-17 22"/Cardioid/Condenser/100-1.6kHz	139.00	99.00



Astatic Continuously-Variable Goosenecks

Suited to nearly any application in business, government, or worship. Any pattern can be dialed in, from omni to figure-8 and anywhere in between. Features an LED indicator with on/off switch and RF immunity.

Inv#	Model#	List	M.A.P.
51287	GN10VP 10"/Variable Pattern/80-18kHz	300.00	199.00
48722	GN15VP 15"/Variable Pattern/80-18kHz	300.00	199.00
53307	GN20VP 20"/Variable Pattern/80-18kHz	300.00	199.00

CLOCKAUDIO

C3 Series RF Gooseneck Microphones

C3 series goosenecks feature built-in preamps, RF filters, and XLR termination. Available with LED on/off indicator. "SR" models feature a semi-rigid shaft design. Call for a complete list of models.

Inv#	Model#	List	M.A.P.
53280	C34E SR RF 19.2"/Card/Cond/50-18kHz	329.00	N/A
53281	C34ES SR RF 19.2"/On-Off Switch/LED	372.00	N/A
53282	C34E SR RF 27.2"/Card/Cond/50-18kHz	371.00	N/A
53283	C34ES SR RF 27.2"/On-Off Switch/LED	414.00	N/A

CLOCKAUDIO

C815E RF Slim Line Short Shotgun Mic

The C815E RF is a slim mini shotgun microphone optimized for speech clarity. It is ideal for use in houses of worship, conference centers, banks, and financial trading venues where highly directional pickup is desired. RF shielded from GSM interference.

Inv#	Model#	List	M.A.P.
80407	C815E RF 12.5"/Hypercard/Condenser/50-18kHz	520.00	N/A

PolarChoice Gooseneck Microphone

PolarChoice goosenecks offer 4 switchable polar patterns: omni, cardioid, supercardioid, and hypercardioid. They exhibit uniform response regardless of pattern. They also feature a switchable High Pass Filter.

Inv#	Model#	List	M.A.P.
36461	PC-12/XLR 12"/Multi-pattern/Cond/50-20kHz	336.00	336.00
5521	PC-18/XLR 18"/Multi-pattern/Cond/50-20kHz	336.00	336.00

PolarChoice Desktop Microphone

Free-standing podium microphones with integrated bases. Selectable polar pattern switches. Great for boardrooms, video conferencing, alters, etc.

Inv#	Model#	List	M.A.P.
53305	PC Desktop-5 6.9"/Multipattern/Cond/50-20kHz	424.00	424.00
39082	PC Desktop-12 12.5"/Multipattern/Cond/50-20kHz	424.00	424.00
36343	PC Desktop-18 18.5"/Multipattern/Cond/50-20kHz	424.00	424.00

PolarChoice Wireless Podium Mic

The easiest way to mic board meetings, press conferences, award ceremonies, rallies, etc. EV/Telex belt packs will mount into the base of the PC Satellite.

Inv#	Model#	List	M.A.P.
53306	PC Satellite-5 6.9"/Multi-pattern/Cond/50-20kHz	529.00	529.00
35345	PC Satellite-12 12.5"/Multi-pattern/Cond/50-20kHz	529.00	529.00
37022	PC Satellite-18 18.5"/Multi-pattern/Cond/50-20kHz	529.00	529.00

GN-CC1725 Telescoping Gooseneck

The GN-CC1725 is a back electret condenser gooseneck microphone with integral XLR connector. An adjustable length from 15" to 23.5" allows users of any height to speak comfortably. Easy, secure adjustment.

Inv#	Model#	List	M.A.P.
58417	GN-CC1725 Cardioid/Condenser/60Hz-17kHz/15-23.5"	299.99	209.99

GN-DC119 Gooseneck Microphone

The GN-DC119 is a dynamic gooseneck for low-profile podium use without the need for phantom power. It features a 100Hz-12kHz response and 3-pin XLR connector.

Inv#	Model#	List	M.A.P.
58418	GN-DC119 Cardioid/Dynamic/100Hz-12kHz/19"	169.99	109.99

GOOSENECK MICROPHONES

SAMSON

Samson Gooseneck Podium Microphones

Samson's high-quality goosenecks are perfect for any podium application. They feature XLR connectors and switchable hi-pass filters. Flange-mount and windscreen are included.

Inv#	Model#	List	M.A.P.
49232	CM15P	15"/Cardioid/Condenser/60-16kHz	119.99 89.00
53312	CM20P	20"/Cardioid/Condenser/60-16kHz	129.99 99.00

AUDIX

MG Series Miniature Goosenecks

Equipped with a sophisticated dual preamp circuitry, providing protection from RF, cell phones, and wireless GSM devices.

Inv#	Model#	List	M.A.P.
80592	MG12	12"/Cardioid/Condenser/60-19kHz	Call N/A
80593	MG15	15"/Cardioid/Condenser/60-19kHz	Call N/A
80594	MG18	18"/Cardioid/Condenser/60-19kHz	Call N/A

SABINE

45 Series Phantom Goosenecks

45 Series Phantom Goosenecks feature Automatic Gain Control, Proximity Effect/Plosive Control, and an IR gate that senses when a user is in position.

Inv#	Model#	List	M.A.P.
80480	SGM12-S-PWR45-SW	12"/Supercard/DSP/Base with Switch	374.95 300.97
80481	SGM12-S-PWR45-NS	12"/Supercard/DSP/Base	349.95 280.97
80483	SGM12-C-PWR45-SW	12"/Cardioid/DSP/Base with Switch	374.95 300.97
80482	SGM12-C-PWR45-NS	12"/Cardioid/DSP/Base	349.95 280.97
80484	SGM14-S-PWR45	14"/Supercard/DSP	299.95 240.97
80485	SGM14-C-PWR45	14"/Cardioid/DSP	299.95 240.97
80490	SGM18-S-PWR45-SW	18"/Supercard/DSP/Base with Switch	374.95 300.97
80491	SGM18-S-PWR45-NS	18"/Supercard/DSP/Base	349.95 280.97
80487	SGM18-C-PWR45-SW	18"/Cardioid/DSP/Base with Switch	374.95 300.97
80488	SGM18-C-PWR45-NS	18"/Cardioid/DSP/Base	349.95 280.97
80486	SGM18-S-PWR45	18"/Supercard/DSP	299.95 240.97
80489	SGM18-C-PWR45	18"/Cardioid/DSP	299.95 240.97
80492	SGM-SWP45-T	Shockmount Plate/Phoenix Connector	69.95 56.97

SABINE

40 Series Phantom Goosenecks

40 Series goosenecks feature an infrared gate that automatically mutes the microphone when no user is in front of it, thus eliminating the problems associated with open microphones.

Inv#	Model#	List	M.A.P.
80493	SGM12-S-PWR40-SW	12"/Supercard/Gate/Base with Switch	344.95 276.97
80494	SGM12-C-PWR40-SW	12"/Cardioid/Gate/Base with Switch	344.95 276.97
80495	SGM12-C-PWR40-NS	12"/Cardioid/Gate/Base	319.95 256.97
80496	SGM14-S-PWR40	14"/Supercard/Gate	269.95 216.97
80497	SGM14-C-PWR40	14"/Cardioid/Gate	269.95 216.97
80498	SGM18-S-PWR40	18"/Supercard/Gate	269.95 216.97
80499	SGM18-C-PWR40-SW	18"/Cardioid/Gate/Base with Switch	344.95 276.97
80501	SGM18-C-PWR40-NS	18"/Cardioid/Gate/Base	319.95 256.97
80500	SGM18-C-PWR40	18"/Cardioid/Gate	269.95 216.97

SABINE

Phantom Mic Riders

Powerful DSP right at the source. Series 3 models feature an adjustable body-heat triggered IR Gate that mutes the mic when not in use. Series 2 models add Automatic Gain Control and Proximity Effect/Plosive Control. Powered by standard 48V phantom power.

Inv#	Model#	List	M.A.P.
51469	PMR-GP2-18	PMR for 18" Goosenecks/DSP	169.95 136.97
80478	PMR-HH2	PMR for Handheld Mics/DSP	169.95 136.97
80479	PMR-GP3-18	PMR for 18" Goosenecks/Gate	139.95 112.97
80477	PMR-HH3	PMR for Handheld Mics/Gate	139.95 112.97

CONFERENCE SYSTEMS

BOSCH

CCS900 Central Control Unit

The CCS900 Series Control Unit supplies power for the chairman unit and up to 50 delegate units, and controls up to 150. Features built-in monitor speaker, mic input, headphone out, insert point, USB interface and more.

Inv#	Model#	List	M.A.P.
51637	CCS-CUD-US	Standard Control Unit with Acoustic Feedback Suppression	1547.00 1547.00
58602	CCS-CURD-US	Standard Control Unit w/Acoustic Feedback Suppression and MP3	1820.00 1820.00

BOSCH

CSS Series Delegate and ChairSM Units

Delegate Units provide a built-in mic, loudspeaker, and headphone out. Chairman Units provide a mic priority button, delegate mic muting, and a switchable chime tone function.

Inv#	Model#	List	M.A.P.
80380	CCS-DS	Delegate Unit, 12.3" microphone	490.00 490.00
80381	CCS-DL	Delegate Unit, 19.2" microphone	500.00 500.00
80382	CCS-CMS	Chairman Unit, 12.3" microphone	596.00 596.00
80383	CCS-CML	Chairman Unit, 19.2" microphone	605.00 605.00

BOSCH

DCN Series Wireless Discussion Units

Can be used as delegate or chairman units. Feature auto muting, auto network search, illuminated rings, and headphone volumes. Available in 2 channel models (for interpretation) and voting models.

Inv#	Model#	List	M.A.P.
58606	DCN-WD-D	Standard Discussion Unit	1193.00 1193.00
58607	DCN-WDV-D	Discussion Unit with Voting	1789.00 1789.00
58608	DCN-WDCS-D	Discussion Unit with Channel Select	1789.00 1789.00
58609	DCN-WDDCS-D	Dual Discussion Unit with Channel Select	2386.00 2386.00
58610	DCN-WDVCS-D	Dual discussion Unit with Channel Select and Voting	2386.00 2386.00

BOSCH

DCN Wireless Access Point

The DCN-WAP links the WCCU and wireless discussion units. Data exchange is digitally protected. Connection to the WCCU is via optical network. Wireless operation at 2.4GHz. 100' range, typical.

Inv#	Model#	List	M.A.P.
58603	DCN-WAP	2.4GHz Wireless Access Point	2973.00 2973.00

BOSCH

DCN Wireless Central Control Unit

Controls up to 150 wireless units and 95 DCN wired units. Allows up to 4 open microphones, 10 language channels, voting control, intercom, PC control and configuration, and more.

Inv#	Model#	List	M.A.P.
58605	DCN-WCCU	Wireless Central Control Unit	4696.00 4696.00

CONFERENCE MICROPHONE ACCESSORIES

Bosch Cases, Chargers and more

TMP Pro carries the full array of Bosch conference system accessories. Cases, spare buttons, battery packs, chargers... there is even a Wireless Coverage Test Kit to keep your system in perfect working order, whether it's permanently installed or out for rental. Your TMP rep knows Bosch inside and out and will help you choose the right add-ons for your application.

CCS 900 Ultra Discussion System

Efficient meeting technology



Style, sound quality and innovation are all perfectly aligned in the latest discussion system from Bosch: the CCS 900 Ultra. New features include a unique "Possible-To-Speak" function that simplifies meeting management, while proceedings can be easily recorded digitally via MP3. The result? Complete discussion control with excellent speech intelligibility - all in an expandable, future-proof solution that's ideal for any small- to medium-sized venue.



Visit our website or contact your regional Bosch representative for more information. www.boschsecurity.com

BOUNDARY MICROPHONES

SHURE
MX392 Install Boundary Microphone

Programmable membrane switch, logic input/output, LED indicators, screw terminal connections, and unterminated cable.

Inv#	Model#	List	M.A.P.
62010	MX391/O	Omnid/Condenser/Boundary Mic	197.00 N/A
9355	MX391/C	Cardioid/Condenser/Boundary Mic	213.00 N/A
9382	MX391/S	Supercardioid/Cond/Boundary Mic	221.00 N/A
9353	MX392/O	Omnid/Cond/Boundary/50-17kHz	253.00 N/A
91501	MX392/C	Cardioid/Cond/Boundary/50-17kHz	269.00 N/A
9317	MX392/S	SupCard/Cond/Boundary/50-17kHz	277.00 N/A
9188	MX393/O	Omnid/Cond/Boundary/50-17kHz	253.00 N/A
9153	MX393/C	Cardioid/Cond/Boundary/50-17kHz	269.00 N/A
9311	MX393/S	SupCard/Cond/Boundary/50-17kHz	277.00 N/A

SHURE
MX395 Boundary Mic

Low profile mic for meeting room tables. Measures only 1" wide. Available as omni, cardioid, or bi-directional, in choice of colors. Call for complete list of options.

Inv#	Model#	List	M.A.P.
51037	MX395B/BI	Bi-Directional/Cond/Boundary/Black	214.00 N/A
51039	MX395B/BI-LED	Bi-Div/Cond/Boundary/Black/LED	229.00 N/A
50997	MX395B/C	Cardioid/Cond/Boundary/Black	188.00 N/A
51033	MX395B/O	Omnid/Cond/Boundary/Black	180.00 N/A
51034	MX395B/O-LED	Omnid/Cond/Boundary/Black/LED	198.00 N/A

SHURE
MX396 Multi-Element Boundary Mic

Available in either dual-element or tri-element designs for use in either cross-table or end-of-table applications.

Inv#	Model#	List	M.A.P.
50981	MX396/C-DUAL	Dual Div/Cond/Boundary/50-17kHz	464.00 N/A
50982	MX396/C-TRI	Tri Div/Cond/Boundary/50-17kHz	569.00 N/A

SHURE
MX690 Wireless Boundary Microphone

An integrated transmitter allows simultaneous use of up to 26 systems. Compatible with SX and SLX receivers.

Inv#	Model#	List	M.A.P.
50985	MX690	Cardioid/Condenser/Mute Switch/9V	599.00 N/A

SENNHEISER
e912 Boundary Microphone

The e912 features a half-cardioid pick-up pattern. Its acoustic properties have been optimized for instruments, vocals and speech. The e912 is an ideal choice for conference applications, altars and lecterns. Available in black or creme white.

Inv#	Model#	List	M.A.P.
54384	e912 BK	Half-Cardioid/Condenser/20-20kHz/Black	448.00 299.95
51626	e912 WH	Half-Cardioid/Condenser/20-20kHz/White	448.00 299.95
80504	e912 sBK	Half-Cardioid/20-20kHz/On-Off Switch/Black	525.00 349.95
80505	e912 sWH	Half-Cardioid/20-20kHz/On-Off Switch/White	525.00 349.95

audio-technica
PRO Series Boundary Microphones

For inconspicuous surface mount use. Crisp, intelligible audio reproduction from podiums, stages, conference tables, etc. The PRO 44 features self-contained electronics, and a 25' detachable cable.

Inv#	Model#	List	M.A.P.
5775	PRO 42	Half-Card/Condenser/70Hz-14kHz/Mini	125.00 N/A
5776	PRO 44	Half-Cardioid/Cond/70-16kHz	135.00 N/A

CLOCKAUDIO
CO08E/CO09E RF Series Microphones

Designed for easy use on large surfaces. Ideal for mounting on walls, floors, and tables. Both models are RF shielded to reject interference from smartphones, Blackberrys, etc.

Inv#	Model#	List	M.A.P.
53749	CO08E RF	Cardioid/Condenser/50-18kHz	416.00 249.60
80408	CO09E RF	Hemispherical/Condenser/30-20kHz	503.00 301.80

CLOCKAUDIO
Consultant Series Cardioid Microphones

Designed to be placed in the middle of a conference table, with the participants facing the condenser elements. Fully RF protected. Available in Black or Nickel.

Inv#	Model#	List	M.A.P.
80409	CS1 RF	One-Way Half Cardioid/50-18kHz/Black	441.00 N/A
80411	CS2 RF	Two-Way Half Cardioid/50-18kHz/Black	706.00 N/A
80413	CS3 RF	Three-Way Half Cardioid/50-18kHz/Black	1093.00 N/A
80415	CS4 RF	Four-Way Half Cardioid/50-18kHz/Black	1406.00 N/A

CLOCKAUDIO
RF Series Retractable Boundary Mics

Boundary layer through-table mics with a built-in pop-up mechanism. Engineered in high quality brass with built-in shock mounts and RF filters.

Inv#	Model#	List	M.A.P.
80417	CRM100 RF Black	Omnidirectional/Condenser/30Hz-20kHz/Black	599.00 N/A
80418	CRM100 RF Nickel	Omnidirectional/Condenser/30Hz-20kHz/Nickel	599.00 N/A
80419	CRM102 RF Black	Cardioid/Condenser/50Hz-18kHz/Black	599.00 N/A
80420	CRM102 RF Nickel	Cardioid/Condenser/50Hz-18kHz/Nickel	599.00 N/A

CLOCKAUDIO
RF Series Through-Desk Condenser Mics

Constructed of solid brass for extreme environments. Wide, smooth response and XLR termination. Built-in phantom power module is fully RF protected.

Inv#	Model#	List	M.A.P.
60429	CO12EB RF	Cardioid/Condenser/50-18kHz/Black	329.00 N/A
61882	CO12EN RF	Cardioid/Condenser/50-18kHz/Nickel	329.00 N/A
53271	CO11EB RF	Omnid/Condenser/50-20kHz/Black	329.00 N/A
53272	CO11EN RF	Omnid/Condenser/50-20kHz/Nickel	329.00 N/A

930VPL Continuously-Variable Mic

Variable pattern. Programmable mute switch: push-to-talk, push-to-mute, on/off. LED indicator, 30' cable.

Inv#	Model#	List	M.A.P.
37980	930VPL	Variable Pattern/Condenser/90-17kHz	350.00 299.00

201R Button-Style Boundary Microphone

RF resistant for use in teleconferencing or voice lift sound reinforcement. Also excellent for surveillance, ambient recording or audio observation applications.

Inv#	Model#	List	M.A.P.
48136	201R	Cardioid/Cond/100-15kHz/Black	225.00 199.00

RE90 Boundary Microphone

EV's RE90 features a half-cardioid pick-up pattern with a natural response. A tamper-resistant terminal block connection suits fixed or temporary applications.

Inv#	Model#	List	M.A.P.
28183	RE90B	Half-Card/Cond/80-15kHz/Black	282.00 282.00
37628	RE90WB	Half-Card/Cond/80-15kHz/White	282.00 282.00

BOUNDARY MICROPHONES

SAMSON
CM11B Omni-Directional Boundary Mic

Captures sound from all directions. Ideal for center placement on a table or similar application. Features an internal HPF and mini XLR connector. Includes 30' cable.

Inv#	Model#	List	M.A.P.
53310	CM11B	Omnid/Condenser/30-18kHz/Black	129.99 99.00
53311	CM11BW	Omnid/Condenser/30-18kHz/White	129.99 99.00

AUDIX
ADX-60 Stage/Studio Boundary Mic

A professional microphone designed for stage, studio and broadcast applications. Handles distance and area miking for conferencing, plays, theatre, and acoustic instruments.

Inv#	Model#	List	M.A.P.
58419	ADX-60	Cardioid/Condenser/50Hz-18kHz	249.00 209.00

HANGING MICROPHONES

SHURE
Microflex Series Overhead Goosenecks

The MX202P/C is designed to capture sound from lecturers, choirs, and stage performers from above. It features a 4" gooseneck, interchangeable cardioid/supercardioid cartridges, in-line or plate-mounted preamplifier, and unobtrusive design. Perfect for easy installation in ceilings.

Inv#	Model#	List	M.A.P.
9301	MX202B/C	Cardioid/Condenser/Overhd/Black	213.00 N/A
9183	MX202W/C	Cardioid/Condenser/Overhd/White	213.00 N/A
90011	MX202B/S	Supercardioid/Condenser/Overhd/Black	221.00 N/A
90000	MX202W/S	Supercardioid/Condenser/Overhd/White	221.00 N/A
9304	MX202BP/C	Cardioid/Cond/Plate Preamp/Black	213.00 N/A
9306	MX202WP/C	Cardioid/Cond/Plate Preamp/White	213.00 N/A
7017	MX202BP/S	Supercard/Cond/Plate Preamp/Black	221.00 N/A
29256	MX202WP/S	Supercard/Cond/Plate Preamp/White	221.00 N/A

audio-technica
PRO 45 Hanging Condenser Microphone

Audio-Technica's PRO 45 hanging condenser microphone is a versatile solution for speech, theater, orchestra, and choir sound reinforcement. It features high SPL handling, self-contained electronics, smooth frequency response, 25' attached cable, and XLRM-type connector. The included steel hanger allows for easy and stable placement. Requires phantom power.

Inv#	Model#	List	M.A.P.
5777	PRO 45	Cardioid/Condenser/70-16kHz	145.00 N/A
5747	PRO 45W	Cardioid/Condenser/70-16kHz/White	145.00 N/A

AUDIX
ADX40 Miniaturized Overhead Condenser Microphone

Designed to hang from an overhead position for applications such as group vocals, choir, theatrical production and room ambience. Offers clarity, resistance to feedback, and ease of operation.

Inv#	Model#	List	M.A.P.
14551	ADX40	Cardioid/Condenser/40Hz-20kHz	249.00 209.00
14552	ADX40-W	Cardioid/Condenser/40Hz-20kHz/White	269.00 219.00
36023	ADX40-HC	Hypercardioid/Condenser/40Hz-20kHz	265.00 219.00
58368	ADX40W-HC	Hypercardioid/Condenser/40Hz-20kHz/White	285.00 239.00

AUDIX
M1255 Miniaturized High-Output Mic

Miniaturized condenser with a fully integrated preamp and detachable cable. Designed with high sensitivity for distance miking including ceiling/table mount, overhead choir, location recording, audience/room miking.

Inv#	Model#	List	M.A.P.
58372	M1255B-O	Omnidirectional/Condenser/50Hz-19kHz	419.00 399.00
58373	M1255BW-O	Omnidirectional/Condenser/50Hz-19kHz/White	439.00 419.00
58375	M1255B	Cardioid/Condenser/50Hz-19kHz	419.00 399.00
58444	M1255B-W	Cardioid/Condenser/50Hz-19kHz/White	439.00 419.00
58374	M1255B-S	Supercardioid/Condenser/50Hz-19kHz	459.00 439.00
80595	M1255BW-S	Supercardioid/Condenser/50Hz-19kHz/White	479.00 449.00
58370	M1255B-HC	Hypercardioid/Condenser/50Hz-19kHz	439.00 419.00
58371	M1255BW-HC	Hypercardioid/Condenser/50Hz-19kHz/White	459.00 439.00

AUDIX
MicroBoom Carbon Fiber Boom Systems

Lightweight carbon fiber rod able to attach to any microphone stand (not included). Available with Micros series mics. Perfect for choirs, plays, and orchestras.

Inv#	Model#	List	M.A.P.
58549	MB5055	Cardioid/M1255B Capsule/50Hz-19kHz/50"	599.00 579.00
59621	MB5050	Cardioid/M1250B Capsule/50Hz-19kHz/50"	599.00 499.00
58617	MB8455	Cardioid/M1255B Capsule/50Hz-19kHz/84"	699.00 679.00
80351	MB8450	Cardioid/M1250B Capsule/50Hz-19kHz/84"	699.00 599.00

1600VP Continuously-Variable Hanging Mic

Continuously-variable pattern condenser with remote polar control and anti-rotational positioning mount. Allows precise real-time adjustment of pick-up patterns. Variable from omnidirectional to figure-eight.

Inv#	Model#	List	M.A.P.
58420	1600VP	Variable Pattern/Condenser/40Hz-20kHz	600.00 499.00

1700VP Continuously-Variable Pattern Boom Mic

Same continuously-variable element and remote control system as the 1600VP, but installed within an adjustable 56" carbon fiber boom. 30' cable. Stand not included.

Inv#	Model#	List	M.A.P.
58367	1700VP	Variable Pattern/Condenser/40Hz-20kHz	700.00 599.00

CLOCKAUDIO
C3SE-RF Suspended Cardioid Condenser Microphones

Optimized for consistent wideband sound quality for houses of worship, conference halls, theaters, etc. Brass construction, flexible gooseneck shaft, easy vertical adjustment via knuckle joint. Includes foam windshield.

Inv#	Model#	List	M.A.P.
58376	C3SE-RF	Cardioid/Condenser/50Hz-18kHz	341.00 N/A
38548	C3SEW-RF	Cardioid/Condenser/50Hz-18kHz/White	341.00 N/A

CLOCKAUDIO
C3100-RF-CP Ceiling-Mount Microphone

Cardioid microphone with a PPA2 preamp mounted on a standard single gang ceiling plate. Short flexible gooseneck shaft, low profile design, solid brass construction.

Inv#	Model#	List	M.A.P.
58377	C3100-RF-CP	Cardioid/Condenser/50Hz-18kHz	326.00 N/A