



**Community**

**CLOUD Series Ceiling Speakers**

CLOUD Series loudspeaker systems provide a comprehensive range of solutions for ceiling applications, offering high quality speech and music reproduction, long-term reliability, and ease of installation. Available in 4" and 6" models with multi-tap transformers. Priced per pair.

Inv#	Model#	List	M.A.P.
42098	CLOUD4-PR 4"1F/7.5"H/9.0,15,7.5,3.75W@70V/Pair	295.00	275.00
42093	CLOUD6-PR 6"1F/7.5"H/6.0,30,15,7.5W@70V/Pair	375.00	345.00



**SOUNDTUBE**

**RS Series Open-Ceiling Loudspeakers**

These premium loudspeakers are ideal for restaurants/nightclubs, schools and universities, hospitals, churches, synagogues, theme parks, hospitality establishments, or other public venues with open-ceiling designs. They install quickly and hang easily using provided hardware. BroadBeam® waveguide technology provides wide 105° coverage, reducing the number of speakers needed in large buildings. Custom paint colors available.

Inv#	Model#	List	M.A.P.
38719	RS-500-BK 5.5"Coaxial/75W/8C/3,6,9,17,33W@70V	279.00	N/A
51440	RS-500-WH RS-500i in White	279.00	N/A
58237	RS1001H-T-BK 10"sub/300W/4C/19,38,75,150W@70V	576.00	N/A
58238	RS1001H-T-WT RS1001i in White	576.00	N/A



**SOUNDSPHERE**

**Soundsphere Hemispherical Speakers**

High power, high fidelity loudspeakers with hemispherical coverage for foreground music and clear paging. Ideal for gymnasiums, ice rinks, churches, swim centers, transportation terminals, factories with high ambient noise levels, open public areas, bars and nightclubs.

Inv#	Model#	List	M.A.P.
36711	Q-12A 12"coax/250W/8C/3,60"x180"	2030.00	N/A
42873	Q-12A Combo 2 (2) Q-12A's and BK2 Boom Kit	4560.00	N/A
58909	Q-12A Combo 3 (2) Q-12A's, Q-582 sub (2x18"/800W), BK3 Boom Kit	7250.00	N/A
39129	Q-15 15"coax/350W/8C/35-15Hz/360"x180"	2490.00	N/A
38733	Q-15 Combo 2 (2) Q-15's and BK2 Bracket	5480.00	N/A
79812	Q-15 Combo 4 (4) Q-15's and BK2 Bracket	11,050.00	N/A
37314	HKL Hang Kit - 3-way cable for single point suspension	52.00	N/A
79813	HXLK12 Hanging Kit - 24" Extension	32.00	N/A
79814	HXLK14 Hanging Kit - 48" Extension	38.00	N/A
79815	ATB Adjustable Tilt Bracket	180.00	N/A
79816	BCL Universal Boom Clamp	120.00	N/A



**Community**

**I/O Series Surface Mount Loudspeakers**

I/O Series Speakers provide high quality audio performance in a weather-resistant design. They feature compact injection-molded cabinets, 90°x50° dispersion, binding post inputs, polypropylene LF cones, and more. Available in 5" or 8" formats, black or white enclosures, with or without 70/100V transformers.

Inv#	Model#	List	M.A.P.
52393	I/O5W-PR 5"1F/5"H/30W/8C/90Hz-1.6kHz	268.00	228.00
35827	I/O5BT-PR 5"1F/5"H/20,10,5W@70V/90Hz-1.6kHz	300.00	245.00
53382	I/O8B-PR 8"1F/5"H/60W/8C/80Hz-1.6kHz	415.00	345.00
42139	I/O8BT-PR 8"1F/5"H/40,20,10W@70V/80Hz-1.6kHz	448.00	365.00



**K KT20 2" Compact Point Source Speaker**

The Tornado KT20 miniature sound source is a passive loudspeaker designed for high-quality distributed systems. Housed in a compact aluminum enclosure, the KT20 is especially suitable for installations involving space limitations and visibility concerns. The single 2" cone transducer delivers an impressive maximum peak SPL of 107dB.

Inv#	Model#	List	M.A.P.
79749	KT20 2"/10W/8C/150-18kHz/90°conical	430.00	N/A



**AUDIX**

**Powerhouse Series Compact Powered Speakers**

The PH3-S and PH5-VS systems incorporate a stereo amplifier in one speaker, which in turn connects a cable to the other speaker. The amplifiers feature two RCA audio inputs and a volume control knob. Both models deliver a high quality contemporary sound, emphasizing a clean, articulate mid-range and outstanding bass. PH5 also comes in White. Mounting brackets and protective bags available.

porary sound, emphasizing a clean, articulate mid-range and outstanding bass. PH5 also comes in White. Mounting brackets and protective bags available.

Inv#	Model#	List	M.A.P.
14504	PH3s 3.5"L/7.5"H/20W Stereo/100-20kHz/12DC	229.00	229.00
14536	PH5vs 5"L/7.5"H/25W Stereo/75-20kHz/Black	349.00	349.00



**Community**

**R-Series Horn Loaded Loudspeakers**

R-Series horns are highly weather resistant, making them the standard for indoor or outdoor use. They offer exceptional voice clarity and projection. The R-Series is comprised of wide range of models with various frequency responses and coverage patterns. Contact your TMP Pro rep for a complete list. With a 15 year structural warranty, the R-Series is the ideal choice for amusement parks, race tracks, cruise ships, sports arenas, and other outdoor venues.

Inv#	Model#	List	M.A.P.
50293	R.25-94Z 8"Coaxial/200W/8C/100Hz-1.6kHz/90°x40°	432.00	399.00
55418	R.25-94BZ R.25-94Z in Black	432.00	399.00
48392	R.25-94TZ 8"Coaxial/25,50,100,200W@70V/90°x40°	448.00	415.00

58233	R.25-94BTZ	R.25-94TZ in Black	448.00	415.00
42700	R.5-66Z	12"1F/1"H/200W/8C/125Hz-10kHz/60°x60°	809.00	749.00
48021	R.5-66TZ	12"1F/1"H/70V,100V/125Hz-10kHz/60°x60°	859.00	799.00
42035	R.5-94Z	12"1F/1"H/200W/8C/125Hz-10kHz/90°x40°	809.00	749.00
35666	R.5-94TZ	12"1F/1"H/70V,100V/125Hz-10kHz/90°x40°	859.00	799.00
42984	R.5-99Z	12"1F/1"H/200W/8C/125Hz-10kHz/90°x90°	809.00	749.00
42719	R.5-99TZ	12"1F/1"H/70V,100V/125Hz-10kHz/90°x90°	859.00	799.00
58243	R.SCOAX66	12"Coaxial/200W/8C/80Hz-18kHz/60°x60°	809.00	749.00
42291	R.SCOAX66T	12"Coaxial/25,50,100,200W@70V/60°x60°	859.00	799.00
58244	R.SCOAX99	12"Coaxial/200W/8C/80Hz-18kHz/90°x90°	809.00	749.00
42292	R.SCOAX99T	12"Coaxial/25,50,100,200W@70V/90°x90°	859.00	799.00
56693	R.S5UB	12"sub/200W/6C/45-150Hz	809.00	749.00
53061	R.S5UB-T	12"sub/200W/6C/25,50,100,200W@70V	859.00	799.00
72563	PMB-1RR	Pole Mount Kit, Single R.25, R.5	138.00	N/A
72562	PMB-2RR	Pole Mount Kit, Dual Speaker	318.00	N/A
72561	PMB-BAND	Stainless Steel Banding for PMB-1RR/2RR	32.00	N/A
72560	BAND100FT	Stainless Steel Banding, 100'	270.00	N/A



**BOGEN**  
**CS1EZ Speaker with Volume Control**

Bogen's CS1EZ is pre-assembled for fast installation into new or existing 70V systems. It features an 8" driver, 13" steel ceiling grille, and screw terminal board for easy connection to a 1W single tap transformer. An easily accessible volume control located on the faceplate allows for independent level control in multiple speaker systems. Perfect for office spaces.

Inv#	Model#	List	M.A.P.
38262	CS1EZ	8"71W@70V/50Hz-12kHz.....	\$4.34 N/A

**BOGEN**  
**S86T725 Ceiling Speaker Assemblies**

The S86T725BR assembly consists of an 8" driver and 25/70V transformer only. All other variants include steel grilles. BR models also include screw terminals, while VK models feature volume knobs, and VR models include recessed volume controls.

Inv#	Model#	List	M.A.P.
49851	S86T725BR	8"/4,2,1,5,25,125W@70V/ScrewTerm	32.34 N/A
36367	S86T725P8WB	8"/4W@70V/50Hz-12kHz/White	33.44 N/A
49272	S86T725P8WBVR	8"/4W@70V/ScrewTerm/White	43.34 N/A
49273	S86T725P8WBVRK	8"/4W@70V/ScrewTerm/White/Volume	60.94 N/A
40787	S86T725P8WBVRK	8"/4W@70V/ScrewTerm/White/Red/C	59.18 N/A

**BOGEN**  
**HFC51 Coaxial Ceiling Speakers**

These Bogen speakers allow for easy installation in suspended or hard surface ceilings. They feature snap-lock terminals, bass-extending venting, and a fast, versatile mounting system. The HFC51 features an 11" back can, while the HFC51LP features a shallow 6.75" can. Compatible with 16Ω, 70V, and 100V systems.

Inv#	Model#	List	M.A.P.
36762	HFC51	6.5"LF/7.5"HF/32,16,8,4,2,1W@70V	116.82 N/A
48394	HFC51LP	6.5"LF/7.5"HF/32,16,8,4,2,1W@70V	116.82 N/A

**H-Series Interior Design Speakers**

The sleek, modern designs of the H-1 and H-2 allow for inconspicuous installation in hotels, offices, museums, churches, etc. They are designed to be mounted using standard electrical gang-boxes, and components can be rotated and aimed without altering their external appearance. Both models feature paintable grilles to match any decor.

Inv#	Model#	List	M.A.P.
29503	H-1	3"x2"LF/1"HF/90W@4Ω/12W@70V	182.00 N/A
13862	H-2	4"LF/1"HF/90W@4Ω/12W@70V	202.00 N/A

**PC-671R Flush Mount Speakers**

The affordable PC-671R is ideal for distributed audio systems in a wide range of venues. The assembly consists of an 8" speaker, 25/70.7V multi-tap transformer from .5W to 6W, and a flush mount round baffle. Its 2.5" depth allows it to be mounted in very shallow spaces. The PC-671RV features a baffle-mounted, screwdriver-adjustable volume control. Both models offer a high 96dB sensitivity.

Inv#	Model#	List	M.A.P.
13803	PC-671R	8"/6,3,2,1,5W@25/70V/90-16kHz	60.00 N/A
53258	PC-671RV	8"/90-16kHz/Volume Control	64.00 N/A

**F-Series Ceiling Speakers**

F-Series ceiling speakers provide smooth off-axis coverage, easy installation, and competitive pricing. The CU2 models come in pairs and include tile bridges. A complete packaged solution.

Inv#	Model#	List	M.A.P.
35303	F-122CU	5"/30,15,5,1.5,5W@70V/70Hz-20kHz	228.00 N/A
53214	F-122CU2	5"/30,15,5,1.5,5W@70V/Pair/Tile Bridge	218.00 N/A
40371	F-2322C	5"/30,15,5,1.5,5W@70V/70Hz-20kHz	134.00 N/A
51591	F-2322CU2	5"/30,15,5,1.5,5W@70V/Pair/Tile Bridge	134.00 N/A
50152	F-2322C	5"/30,15,5,1.5,5W@70V/70Hz-20kHz	158.00 N/A
53215	F-2322CU2	5"/30,15,5,1.5,5W@70V/Pair/Tile Bridge	178.00 N/A
51553	F-2822C	6.5"/60,30,15,7.5,3.1,1.5W@70V	210.00 N/A
53216	F-2822CU2	6.5"/60,30,15,7.5,3.1,1.5W@70V/Pair/Tile Bridge	228.00 N/A

**BOGEN**  
**Bogen Easy Install Ceiling Speakers**

Easy Install Speakers can be completely installed - mounted in the ceiling, secured, and connected - in less than a minute. Mounting studs pierce through ceiling tile and also serve as wire terminals. Ideal for carrying voice messages with clarity anywhere dependable communication is required.



Inv#	Model#	List	M.A.P.
53364	SM1EZ	9.5" Enclosure Diameter/1W@70V/125Hz-15kHz	65.34 N/A
52033	SMAT	9.5" Enclosure Diameter/4,2,1,5,25W@70V	69.08 N/A



**BOGEN**  
**A6T All-Weather Patio/Pool Speaker**

This all-weather speaker is designed to bring music and paging to patios, pool areas, and anywhere else a fully-sealed design is needed. It features a metal-alloy cone, gold-plated barrier strip, fluid voice coil suspension, and matching mounting bracket for simplified surface installation.

Inv#	Model#	List	M.A.P.
49429	A6T-BLK	6"LF/1"HF/32,16,8W@70V/50Hz-20kHz	320.98 N/A

**H-3 Wide-Dispersion Wall-Mount Speaker**

Part of the Interior Design Series, the H-3 provides superb sound quality for spaces where appearance is a prime consideration. Features include 140"x70" dispersion, a minimum reflection design, a built-in matching transformer, paintable grille, protection circuitry, built-in crossover, and more.



Inv#	Model#	List	M.A.P.
38687	H-3	2x4"LF/1"HF/150W@8Ω/30W@70V	346.00 N/A



**BOGEN**  
**MB8T Metal Box Speakers**

Bogen's Metal Box Speakers are all-steel surface-mounted enclosures. The MB8TSL is designed primarily for wall mounting, and its face is angled downward 12.5 degrees. The MB8TSQ features a straight baffle and is suitable for ceiling or wall mounting.

Inv#	Model#	List	M.A.P.
42732	MB8TSL	8"/4,2,1,5,25,125W/70V/Slanted	67.98 N/A
48658	MB8TSQ	8"/4,2,1,5,25,125W/70V/110Hz-15kHz	67.98 N/A



**BOGEN**  
**FMH15T Reentrant Speaker**

The Bogen FMH15T is a flange-mounted, high-intelligibility, reentrant-type loudspeaker. Its sturdy, weatherproof, vandal-resistant, all-metal construction is ideal for indoor and outdoor use. It has a built-in tap selector switch for selecting speaker power in 70V or 25V constant-voltage systems.

Inv#	Model#	List	M.A.P.
49844	FMH15T	15,7,5,1.8,9W@70V/600Hz-14kHz	119.46 N/A

**AUDICA**

**Micro Series Speaker System**

MICRO series is a complete system, DSP controlled via the MICROzone to give outstanding audio performance from ultra-compact loudspeakers. MICROdot is a flush-mount ceiling loudspeaker that fits a standard 85mm diameter ceiling spotlight cut-out. The MICROpoint's integral bracket provides a high degree of tilt and pan for wall or ceiling mounting. The MICROline allows for 360° rotation, 120° pan, and 27° tilt. The MICROsub is supplied with its own mounting bracket that allows flush mounting to walls or ceilings. The MICROzone is a 5-configuration amplifier/controller providing flexibility for single or multi-location input and control, whereas the MICROplus is an ultra-compact 4-channel power amplifier.



Inv#	Model#	List	M.A.P.
79817	MICROdot	2" Full Range/25W/8Ω/70-20kHz/120° conical	378.00 N/A
79818	MICROpoint	2" LF/2" Full Range/35W/4Ω/70-20kHz/120°x60°	278.00 N/A
79819	MICROline	2x2" LF/2x2" Full Range/50W/8Ω/70-20kHz	438.00 N/A
79820	MICROsub	8" sub/100W/4Ω-200Hz	698.00 N/A
79821	MICROzone	3ch, 1/4" RCA in/s/Sub out/2x25W/4Ω	598.00 N/A
79822	MICROplus	4x80W/4Ω, 2x160W/Bridged 8Ω	868.00 N/A



**F-Series Box Speakers**

Reliable high-quality sound for restaurants, retail and AV applications. These TOA box speakers feature an octagonal horn design for smooth coverage, protection circuits, adjustable power taps, paintable grilles/enclosures, and include wall/ceiling-mount brackets. The F-2000 provides adjustable dispersion for added versatility.

Inv#	Model#	List	M.A.P.
53207	F-1000BT	4"LF/1"HF/15W@70V/90°/90°/Black	140.00 N/A
51441	F-1000WT	F-1000 in White	140.00 N/A
53208	F-1300BT	5"LF/1"HF/30W@70V/110°x100°/Black	206.00 N/A
52583	F-1300WT	F-1300 in White	206.00 N/A
53209	F-2000BT	8"LF/1"HF/60W@70V/110°x100°/Black	316.00 N/A
52584	F-2000WT	F-2000 in White	316.00 N/A

**F-Series Wall-Mount Speakers**

F-Series wall-mount speakers are 2-way models with woofers and compression drivers. They feature overload protection circuitry, push terminal and 1/4" inputs, plus a five year warranty. Ideal for public address and recorded music systems.

Inv#	Model#	List	M.A.P.
53210	F-505G	8"LF/1"HF/240W/8Ω/70Hz-20kHz/Gray	988.00 N/A
53211	F-505W	8"LF/1"HF/240W/8Ω/70Hz-20kHz/White	988.00 N/A
53212	F-605W	12"LF/1"HF/360W/8Ω/62Hz-20kHz/White	1654.00 N/A
53213	F-605G	12"LF/1"HF/360W/8Ω/62Hz-20kHz/Gray	1654.00 N/A

**TOA Pendant Speakers, Paging Horns and More**

TOA Electronics offers one of the most comprehensive lines of commercial speakers in the industry. Whether you need audio for an industrial space or an architectural marvel, TOA has a model for the job. From pendant speakers, to paging horns, to wide-range paging speakers, TMP Pro audio professionals will help you design and implement the perfect audio system.

Contact TMP Pro for your next system install!





**Quam**  
8" Speakers and Assemblies

The 8C5245 and 8C5PAX are 8" speakers with concentric-mounted HF cones. Both models are intended as replacement speakers or individual components for audio systems. C5's are complete assemblies featuring 8C5PAX speakers, steel baffles, and mounted transformers for use in distributed audio systems.


Inv#	Model#	List	M.A.P.
40822	8C5PAX	8"/2W/65Hz-17kHz/94dB sensitivity	14.20 N/A
52255	8C5245	8"/1.2W/70Hz-15kHz/94dB sensitivity	21.00 N/A
46374	C5/870W	8"/4W@70V/65Hz-17kHz	28.00 N/A
51971	C5/BL/W	8"/5W@25/70V/65Hz-17kHz	28.00 N/A



**Quam**  
C10X Series Speaker Assemblies

The Quam C10X Series features complete loudspeaker assemblies for use in distributed speaker systems. They feature 8" frame drivers, 20W dual-cone loudspeakers, steel baffles, and mounted transformers. They are available in a wide range of configurations to suit any venue or system. Contact your TMP Pro rep for a complete list of options.

Inv#	Model#	List	M.A.P.
36336	C10W/870WS	8"/4W@70V	42.00 N/A
37792	C10W/BL/WS	8"/5W@25/70V	36.00 N/A



**Quam**  
System 12 Ceiling Mount Speaker

System 12 loudspeaker assemblies are designed to lie unobtrusively in a standard 24" ceiling grid. They are a complete solution, including speaker, baffle, and integral back box. Installation is a simple as replacing an existing ceiling tile and making audio connection. Available with a variety of transformer options.

Inv#	Model#	List	M.A.P.
38344	SYSTEM 12	8"/5W@25/70V/65Hz-17kHz	84.00 N/A
53219	SYSTEM 12/25RS	8"/4W@25V Rotary Select	88.00 N/A
53220	SYSTEM 12/70RS	8"/4W@70V Rotary Select	88.00 N/A
53218	SYSTEM 12/NC	8"/5W@25/70V Volume Control	90.00 N/A



**BOSE**  
FreeSpace Series DS 16F Ceiling Speaker

The DS 16F flush-mount loudspeaker reproduces music with smooth natural sound. Its styling, performance, and value make it well-suited for background music and speech reproduction in a wide range of business environments, from retail and restaurant operations to hotels, office buildings and airports. Installation is quick and simple due to its integrated mounting arms.

Inv#	Model#	List	M.A.P.
51208	FreeSpace DS 16F	2.25"/16,8,4,2,1W@70V/140° Conical	Call N/A



**BOSE**  
FreeSpace Series DS 40F Ceiling Speaker

DS 40F loudspeakers deliver background and foreground music with fullness, notable presence and detail, as well as clear, natural sounding speech reproduction. They are well-suited for a wide range of indoor commercial applications, and can be easily mounted in ceilings up to 26 feet (8m) high. Suitable for almost any ceiling installation: flush mounted, pendant mounted in open ceilings or installed in air handling (plenum) spaces.

Inv#	Model#	List	M.A.P.
80404	FreeSpace DS 40F	4.5"/40,20,10,5,2.5W@70V/125° Conical	Call N/A



**BOSE**  
FreeSpace Series DS 100F Ceiling Speaker

DS 100F loudspeakers deliver high-energy, full-range sound, making them well suited for applications where music and entertainment are key parts of creating a customer experience. They can be easily flush or pendant mounted in ceilings up to 30 feet (10m) high. Fewer loudspeakers are needed to create even coverage due to high output and even dispersion. Meets standards for combination music and evacuation systems.

Inv#	Model#	List	M.A.P.
70747	DS 100F	5.25"/25,14,10,5,2.5W@70V/160° Conical	Call N/A

**Quam**  
System 1 and System 2 Speakers

The Quam System 1 and System 2 are surface-mounted speaker assemblies including everything needed for installation. System 1 is a straight baffle, indoor-use enclosure, while System 2 features a downward firing angle. The VP versions feature tough vandal-resistant enclosures and may be used indoors or outdoors.



Inv#	Model#	List	M.A.P.
51467	SYSTEM 1	8"/5W@25V/70V/60Hz-17kHz/Straight	90.00 N/A
40824	SYSTEM 1VP	8"/5W@25V/70V/60Hz-17kHz/Secure	101.00 N/A
49940	SYSTEM 2	8"/5W@25V/70V/60Hz-17kHz/Downward Firing	101.00 N/A
51973	SYSTEM 2VP	8"/5W@25V/70V/60Hz-17kHz/Secure	88.00 N/A

**Quam**  
System 6 Vandal-Resistant Surface Mount Speaker

The Quam System 6VP is a complete loudspeaker assembly with a double re-entrant horn compression-type loudspeaker, 25W and 70V universal transformer, and vandal-resistant baffle. It is suitable for outdoor use and may be mounted horizontally or vertically.



Inv#	Model#	List	M.A.P.
49097	SYSTEM 6VP	8"/1.6W@25V/70V/350Hz-10kHz	168.00 N/A

**Quam**  
System 9 Downward-Firing Surface-Mount Speaker

The Quam System 9/VC is a complete wall or corner mount loudspeaker assembly with an 8" frame loudspeaker, 25V and 70V universal transformer, volume control, charcoal gray cloth baffle and steel enclosure. It is intended for paging, voice, and music reproduction applications.



Inv#	Model#	List	M.A.P.
53221	SYSTEM 9/VC	8"/5W@25V/70V/65Hz-17kHz	72.00 N/A

**Quam**  
System 32 Paging Speaker

The Quam System 32 is a complete, bi-directional surface mounted paging loudspeaker assembly. It features one 8" frame loudspeaker, a 25/70.7V transformer, CRS enclosure, and pedestal. It mounts directly to a standard 1900 electrical box, located on either a wall or ceiling, with its long axis parallel to the floor plane and traffic flow. Recommended mounting height is 8' to 12" above the floor.



Inv#	Model#	List	M.A.P.
58676	SYSTEM 32	8"/20W/5-top Transformer	82.00 54.95



**BOSE**  
FreeSpace® 3 System

The high-performance FreeSpace® 3 loudspeaker system is engineered for reproducing voice and music in background and foreground applications. The system combines flush-mount, surface-mount and pendant-mount speakers to work with different room decors and layouts. It is designed for a variety of business applications including retail, restaurant and hospitality operations. The Acoustimass® bass module delivers deep, clear bass without audible distortion.

Inv#	Model#	Product Code	List	M.A.P.
70780	FreeSpace 3/040144	2.5"/12W/6C/170° Conical/Surface Mount Satellite/Black	Call	N/A
70781	FreeSpace 3/040143	2.5"/12W/6C/170° Conical/Surface Mount Satellite/White	Call	N/A
70778	FreeSpace 3/040150	2.5"/12W/6C/170° Conical/Flush Mount Satellite/Black	Call	N/A
70758	FreeSpace 3/040149	2.5"/12W/6C/170° Conical/Flush Mount Satellite/White	Call	N/A
70776	FreeSpace 3/040146	5.25" sub/200,100,50,25W@70V/Surface Mount/Black	Call	N/A
70777	FreeSpace 3/040145	5.25" sub/200,100,50,25W@70V/Surface Mount/White	Call	N/A
70774	FreeSpace 3/040148	5.25" sub/200,100,50,25W@70V/Flush Mount/Black	Call	N/A
70775	FreeSpace 3/040147	5.25" sub/200,100,50,25W@70V/Flush Mount/White	Call	N/A
70764	FreeSpace 3/37524	FreeSpace 3 Omni Pendant Mount Kit/Black	Call	N/A
70765	FreeSpace 3/37525	FreeSpace 3 Omni Pendant Mount Kit/White	Call	N/A

**BOSE**  
FreeSpace Series Surface-Mounts

FreeSpace loudspeakers are designed for a wide range of commercial applications, including retail, restaurant and hospitality establishments. Horizontal or vertical mounting options offer installation flexibility, and the sleek, contemporary styling adds elegance to the installation environment. Pitch and yaw adjustment directs the sound to where needed.



Inv#	Model#	List	M.A.P.
70726	FreeSpace DS 16S	Indoor-only version of DS 16SE	Call N/A
50159	FreeSpace DS 16SE	2.25"/16,8,4,2,1W@70V/170°x160°	Call N/A
80405	FreeSpace DS 40SE	4.5"/40,20,10,5,2.5W@70V/125°x125°	Call N/A
49239	FreeSpace DS 100SE	5.25"/42,25,14,10,5,2.5W@70V/180°x75°	Call N/A



**BOSE**  
Pанaray 402 Series II Surface-Mount

Superior performance without the bulk of conventional professional loudspeakers. Active EQ helps reproduce vocals and acoustic instruments with clarity and detail. An acoustic diffractor broadens and smooths the sound pattern for more uniform, even coverage. Proprietary Articulated Array® speaker configuration positions the drivers for broad horizontal and narrow vertical dispersion. Resistant to wind, rain, snow and temperature extremes.

Inv#	Model#	List	M.A.P.
48266	Pанaray 402 A	4x4.5"/120W/8C/90-16kHz/120°x60°	Call N/A
60207	Digital Controller	2x4 Controller for Panaray Speakers	Call N/A



**BOSE**  
Pанaray 802 Series III Loudspeaker

The hallmark Bose® professional loudspeaker. Eight proprietary full-range drivers and active EQ help deliver vocals and instruments with smoothness and warmth—at high or low SPL's. Efficient size reduces obstructed views so the audience can see more of the event and less of the speakers. A durable carrying case doubles as a monitor stand and includes an ergonomic handle for easy handling.

Inv#	Model#	List	M.A.P.
36585	Pанaray 802 A	8x4.5"/240W/8C/55-16kHz/120°x100°	Call N/A
60207	Digital Controller	2x4 Controller for Panaray Speakers	Call N/A



**BOSE**  
Pанaray MA12 & MA12EX Modular Line Arrays

The MA12 is designed for acoustically demanding indoor spaces where speech intelligibility is critical and speech reproduction is the main requirement. The MA12EX is designed to deliver high speech intelligibility and full-range music without additional bass augmentation, both indoors and outdoors. Both models can be mounted in single or multiple loudspeaker configurations.

Inv#	Model#	List	M.A.P.
51330	Pанaray MA12	12x2.5"/300W/8C/155-12kHz/145°x20°	Call N/A
42050	Pанaray MA12EX	12x2.5"/150W/8C/75-13kHz/160°x20°	Call N/A

**Looking to spec a ceiling or surface mount speaker, but you don't see it in our catalog?**

*We have access to scores of brands and hundreds of models for virtually any kind of installation.*

*Take a look at our line card on the back cover, and contact your TMP Pro representative for pricing and expert system design advice.*