



CASSETTE PLAYERS TA-RW255

TA-RW255



RI

Specifications Photo Gallery Email this Page Review this Model Downloads Overview Features

Capturing the detail and clarity of all your tape recordings without a hint of tape hiss

Dual autoreverse lets you copy both sides of a tape with the press of a button, or relay-play both sides of two tapes without interruption. The deck also includes Dolby B and C noise reduction to effectively eliminate tape hiss, auto-spacing to insert blank spaces between songs, high-speed dubbing, rec-level control, CD synchro recording, 8-segment peak level meters, an auto tape-bias selector, and a 4-digit electronic tape counter.

Read Owner Reviews for this Model

3 reviews available





PRODUCTS

- Receivers
 Home Theater Systems
 DVD Players
 CD Players
 Amplifiers

SUPPORT

- Cassette PlayersMini SystemsTunerSpeakersAccessories
 - Find a Service Center FAQ's Downloads
 - Hookup Diagrams
 Product Registration
 Order Status
 Contact Support

ABOUT ONKYO

Company History
 Press Releases
 Jobs at Onkyo



> Products > Cassette Players > TA-RW255



CASSETTE PLAYERS TA-RW255

TA-RW255

BUYING OPTIONS



RI

Overview	Features	Specifications	Photo Gallery	Email this Page	Review this Model	Downloads
----------	----------	----------------	---------------	-----------------	-------------------	-----------

Product Features

Number of Motors Number of Tape Heads Double Cassette Deck High-Speed Dubbing Double Auto Reverse Continuous Play Rec Level Controls CD Synchro Recording Repeat Play Dolby(r) B and C Noise Reduction Electronic Counter Fluorescent Display RI Remote System





PRODUCTS

- Receivers
 Home Theater Systems
 DVD Players
 CD Players
 Amplifiers

Cassette PlayersMini SystemsTunerSpeakers

Accessories

- Find a Service Center Find a Service Center FAQ's Downloads Hookup Diagrams Product Registration Order Status Contact Support

ABOUT ONKYO

Company History
 Press Releases
 Jobs at Onkyo





> Products > Cassette Players > TA-RW255



CASSETTE PLAYERS TA-RW255

TA-RW255



RI

Overview Features Specifications

Photo Gallery

Email this Page

Review this Model

Downloads

Product Specifications

Wow and Flutter (WRMS) Frequency Response

Metal

High

Normal

S/N Ratio (METAL, Dolby(r) NR off)

Heads

Rec & Pb.

Erase Motors

Dimensions (W x H x D)

Weight

0.08 %

20 Hz-17 kHz

20 Hz-16 kHz 20 Hz-15 kHz

58 dB

Special hard permalloy x 2

Ferrite x 1

DC servo motor x 2

17 1/8"" x 4 3/4"" x 12"" 11.2 lbs./5.1 kg

SPECIAL OFFER!

TX-SR806S - THX™ Ultra 2 Plus™ Certified 7.1-Channel Home Theater Receiver Reg Price: \$649.00

DEALER LOCATOR Enter Zip FIND ▶

PRODUCTS

Receivers
 Home Theater Systems
 DVD Players
 CD Players
 Amplifiers

Cassette PlayersMini SystemsTunerSpeakersAccessories

SUPPORT

ABOUT ONKYO
• Company History
• Press Releases
• Jobs at Onkyo

Find a Service Center
 FAQ's
 Downloads
 Hookup Diagrams
 Product Registration
 Order Status
 Contact Support

© Copyright 2009 Onkyo USA Corporation. All rights reserved.

252 1 Visit Onkyo.ca 🔸 | Support | Site Terms | Privacy | Warranty | Site Map | Dealers Only